



# CERTIFICATE OF CONFORMITY

This is to certify that

## The Nuralite Waterproofing Ltd's Nuratech Single Ply TPE Roofing Membrane System



### Product description

The Nuratech Single Ply TPE Roofing Membrane is made from TPE which is a modern polymer with improved performance when compared with many similar materials. The product exhibits distinctive properties ideally suited to long term flat roof protection. TPE membranes can be fully adhered, mechanically fastened, or ballasted.

### Product purpose or use

The Nuratech SP TPE Roofing Membrane is used for the construction of wind and moisture resistant roofing and is especially suited for low slope roofs.

### Certificate Holder

**Nuralite Waterproofing Ltd.**  
53A Victoria Street, Onehunga  
Auckland.,  
Phone 09 579 2046  
[www.nuralite.co.nz](http://www.nuralite.co.nz)

### CodeMark Certification Body

BEAL Certification Service Limited  
2A Plimmerton Drive  
Plimmerton, Porirua 5026, NZ  
Phone: +64 4 233 6661  
E-Mail: [bcs@beal.co.nz](mailto:bcs@beal.co.nz)  
Website: [www.beal.co.nz](http://www.beal.co.nz)

### Complies with the New Zealand Building Code:

Performance Clauses B1.3.2  
Performance Clauses B2.3.1 (a)  
Performance Clause E2.3.2  
Performance Clause F2.3.1.

Compliance with other clauses fall outside the scope of this certificate.

### Limitations of use -

A. For new buildings the structure supporting the substrate shall comply with the current provisions of the Building Regulations 1992 and subsequent amendments. Existing buildings shall comply with these requirements as nearly as is reasonably practicable at least to the degree required in Section 112 of the Building Act 2004 & amendments.

B. The substrate is constructed with falls described the technical literature which accords with E2/AS1 2011 section 8.5.1:

- a) Roofs with a minimum fall of 2° (1:30),
- b) Decks with a minimum fall of 1.5° (1:40),
- c) Internal gutters with a minimum fall of 1 in 100, with no cross seams in the gutters,

C. The substrate(s) is/are installed strictly as per the manufacturer's instructions.

D. The product shall be installed by Nuralite Waterproofing Ltd trained and approved installers.

E. Installation of the product shall be in accordance with the manufacturer's Technical Manual 2014 v2 for non-specific design requirements.

F. Installation of the system shall be preceded by a Pre-Installation Inspection Checklist and on completion followed by a Completion Checklist signed by the contractor.

### Conditions of certification -

G. The Building Product Quality Plan for the Nuralite Waterproofing Ltd's Nuratech Single Ply TPE Roofing Membrane System shall be reviewed and audited by the issuer on an annual basis;

H. This CodeMark Certificate is subject to S15 of the Building Product Certification Regulations 2008.

### Technical information:

Information that forms part of this certificate or the basis for certification is available from the issuer on request and may be subject to a fee. **Note that this certificate may only be reproduced in its entirety.**



[www.jas-anz.org/register](http://www.jas-anz.org/register)

**C R Prouse**  
Director  
BEAL Certification Service

31 July 2014

Date of Issue

BCS-110214-CMNZ

Certificate Number

This certificate is issued by an independent certification body accredited by the product certification accreditation body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment (MBIE) under the Building Act 2004. MBIE does not in any way warrant, guarantee, or represent that the building method or product the subject of this certificate conforms with the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product. MBIE disclaims, to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages, and costs arising as a result of the use of the building method(s) or product(s) referred to in this certificate.