



CERTIFICATE OF CONFORMITY

This is to certify that

The TRM WeatherAll® System



Product description

The TRM WeatherAll® system is a textile reinforced water based liquid waterproofing membrane that bonds to a number of approved and specified substrates.

Product purpose or use

The TRM WeatherAll® system is used for the construction of durable, flexible wind and moisture resistant junctions of the building envelope. The product is typically used in remedial work where unwanted moisture ingress has been found.

Use of TRM WeatherAll® with junctions of substrates not specified in the TRM WeatherAll® Technical Manual ver 15, are outside the scope of this certificate.

Certificate Holder

WeatherAll Solutions Ltd.

310 Alexandra Street,
Hastings.
Phone 06 878 3001
www.weatherallsolutions.co.nz

CodeMark Certification Body

BEAL Certification Service Limited
2A Pimmerton Drive
Pimmerton, Porirua 5026, NZ
Phone: +64 4 233 6661
E-Mail: bcs@beal.co.nz
Website: www.beal.co.nz

Complies with the New Zealand Building Code:

Performance Clauses B1.3.2
Performance Clauses B2.3.1 (a) and (c)
Performance Clause E2.3.2
Performance Clause F2.3.1.
Compliance with other clauses fall outside the scope of this certificate.

Subject to the following:

Limitations of use -

- A. The survey, testing, intended scope and monitoring of remedial work, including provision of an assurance that all structural issues have been addressed, shall be the responsibility of the building owner.
- B. All designs and application of the TRM WeatherAll® system shall be within the requirements and the guidelines set out in the TRM WeatherAll® Technical Manual ver15 available from the manufacturer's web site www.weatherallsolutions.co.nz and, all other uses are outside the scope of this certificate.
- C. Accessories are to comply with that specified in the TRM WeatherAll® Technical Manual ver15 and the TRM WeatherAll® Building Product Quality Plan ver 5;
- D. Installation shall be performed by TRM WeatherAll® trained and approved installers, who shall be supervised by a suitably qualified Licensed Building Practitioner;
- E. Installation and maintenance of the TRM WeatherAll® system, shall be in accordance with the TRM WeatherAll® Technical Manual ver15;
- F. The Building Product Quality Plan for the TRM WeatherAll® system shall be reviewed and subject to audit at their head office and building sites by the issuer at least once a year;
- G. This CodeMark Certificate shall be revalidated each year from the date of issuance;
- H. This CodeMark Certificate is subject to S15 of the Building Product Certification Regulations 2008.

Technical information:

Information that forms part of this certificate or the basis for certification is available from the issuer on request and may be subject to a fee.

Note that this certificate may only be reproduced in its entirety.



www.jas-anz.org/register

29 January 2016

BCS-148316-CMNZ

C R Prouse
Director
BEAL Certification Service

Date of Issue

Certificate Number

This certificate is issued by an independent certification body accredited by the product certification accreditation body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment (MBIE) under the Building Act 2004. MBIE does not in any way warrant, guarantee, or represent that the building method or product the subject of this certificate conforms with the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product. MBIE disclaims, to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages, and costs arising as a result of the use of the building method(s) or product(s) referred to in this certificate.