



# CERTIFICATE OF CONFORMITY

This is to certify that

## The WETSUIT Liquid Applied Membrane System - for use on New & Existing Roofs & Decks



[www.jas-anz.org/register](http://www.jas-anz.org/register)

### Product description

The 'WETSUIT Liquid Applied Membrane system' (WETSUIT system) is applied to a range of nominated roof, deck and adjacent wall substrates to provide a durable, wind and moisture resistant membrane. The system comprises:

- WetSuit 2 parts rapid curing LAM;
- WetSuit one-part self-leveling LAM;
- WetSuit trowel grade and liberated trowel grade;
- WetSuit Invisilink reinforcement fabric
- WetSuit Undercover
- WetSuit Primer where applicable

### Product purpose or use

The WETSUIT Liquid Applied Membrane system is intended for use on new and existing roof substrates in accordance with the technical literature.

### Certificate Holder

#### Neptune NZ Ltd.

Unit 2B, 39 Arrenway Drive,  
Rosedale, Auckland.  
Phone 09 4154469  
[www.neptunenz.co.nz](http://www.neptunenz.co.nz)

### CodeMark Certification Body

BEAL Certification Service Limited  
2A Plimmerton Drive  
Plimmerton, Porirua 5026, NZ  
Phone: +64 4 233 6661  
E-Mail: [bcs@beal.co.nz](mailto:bcs@beal.co.nz)  
Website: [www.beal.co.nz](http://www.beal.co.nz)

### Complies with the New Zealand Building Code:

- Performance Clause B1.3.2
- Performance Clauses B2.3.1 (a) & (b)
- Performance Clause D1.3.3
- Performance Clause E2.3.2
- Performance Clause F2.3.1
- Performance Clause G12.3.1

Compliance with other clauses fall outside the scope of this certificate.

### Subject to the following:

#### Limitations of use -

A. All designs and construction shall be within the requirements and the tables set out in the WETSUIT Technical & Installation Manual (ver 1.08 March 2015) available from the manufacturer's web site [www.neptunenz.co.nz](http://www.neptunenz.co.nz); and, all other uses are outside the scope of this certificate.

B. Accessories and componentry to comply with that specified in the WETSUIT Technical Installation Manual and the Neptune NZ Ltd. Building Product Quality Plan (ver 1.00 March 2015);

C. Installation shall be performed by Neptune NZ Ltd. trained and approved installers, who shall be supervised by a suitably qualified Licensed Building Practitioner;

D. Installation and maintenance - where required - of the WETSUIT system, shall be in accordance with the Neptune NZ Building Product Quality Plan ver 1.00 March 2015, available on request;

#### Conditions of certification -

E. The Building Product Quality Plan for the Neptune NZ Ltd's WETSUIT System shall be reviewed and subject to audit at their head office and building sites by the issuer at least once a year;

F. This CodeMark Certificate shall be revalidated 3 years from the date of issuance.

### Technical information:

Publicly available information that forms part of this certificate or the basis for certification is available from the issuer's web site.

**Note that this certificate may only be reproduced in its entirety.**

C R Prouse  
Director  
BEAL Certification Service

16 July 2015

15 July 2018

BCS-140615-CMNZ

Date of Issue

Date of Revalidation

Certificate Number

This certificate is issued by an independent certification body accredited by the product certification accreditation body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment (MBIE) under the Building Act 2004. MBIE does not in any way warrant, guarantee, or represent that the building method or product the subject of this certificate conforms with the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product. MBIE disclaims, to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages, and costs arising as a result of the use of the building method(s) or product(s) referred to in this certificate.