



# CERTIFICATE OF CONFORMITY

This is to certify that

The SuperCross Bracing SC4 & SC6 System -  
supplied by Bracing Solution Ltd.



## Product description

The SuperCross Bracing SC4 & SC6 System is manufactured from nominal 1.15 mm thickness cold-rolled galvanized carbon steel coil strip to AS1397-2011 G300M Z275, to form bracing elements used with timber framing. The SuperCross bracing is designed to be attached to framing with 30 x 3.15mm galvanized nails.

## Product purpose or use

The SuperCross Bracing SC4 and SC6 system is used with timber framing to provide bracing. In addition, SuperCross bracing can provide additional bracing to 445mm and 645mm wide frames.

## Certificate Holder

**QUAKETECH Ltd.**  
Is owner of Bracing Solutions Ltd.  
16 Rire Hua Lane, The Lakes,  
Pyes Pa, Tauranga 3112.

## CodeMark Certification Body

BEAL Certification Service Limited  
2A Plimmerton Drive  
Plimmerton, Porirua 5026, NZ  
Phone: +64 4 233 6661  
E-Mail: [bcs@beal.co.nz](mailto:bcs@beal.co.nz)

## Complies with the New Zealand Building Code:

Performance Clauses B1.3.1 and B1.3.3 (b), (f) & (h)

Performance Clauses B2.3.1 (a)

Performance Clause F2.3.1.

Compliance with other clauses have been considered and found not applicable.

## Subject to the following:

### Limitations of use -

A. All designs and construction shall be within the requirements and the tables set out in the SuperCross Bracing Specification and Installation Manual ver.1.0 available from the manufacturer's web site [www.bracingsolutions.kiwi](http://www.bracingsolutions.kiwi) ; and, all other uses are outside the scope of this certificate.

B. Accessories and componentry to comply with that specified in the SuperCross Bracing Specification and Installation Manual ver.1.0 and the Bracing Solution Ltd.'s Building Product Quality Plan ver .1.0;

C. Installation shall be performed by or supervised by Licensed Building Practitioner;

D. Installation and maintenance - where required - of the SuperCross Bracing SC4 & SC6 System, shall be in accordance with the Bracing Solution Ltd.'s Building Product Quality Plan ver .1.0, available on request; [www.jas-anz.org/register](http://www.jas-anz.org/register)

### Conditions of certification -

E. The Building Product Quality Plan for the SuperCross Bracing SC4 & SC6 System shall be reviewed and subject to audit at their head office and building sites by the issuer at least once a year;

F. This CodeMark Certificate shall be revalidated on an annual basis;

H. This CodeMark Certificate is subject to S15 of the Building Product Certification Regulations 2008.

## Technical information:

Information that forms part of this certificate or the basis for certification is available from the issuer on request and may be subject to a fee.

**Note that this certificate may only be reproduced in its entirety.**

**C R Prouse**  
Director  
BEAL Certification Service

11 August 2017

Date updated

BCS-167317-CMNZ

Certificate Number

This certificate is issued by an independent certification body accredited by the product certification accreditation body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment (MBIE) under the Building Act 2004. MBIE does not in any way warrant, guarantee, or represent that the building method or product the subject of this certificate conforms with the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product. MBIE disclaims, to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages, and costs arising as a result of the use of the building method(s) or product(s) referred to in this certificate.