



**CODEMARK™**

**Product description**

The SIGA Building Protection System (SBPS)™ comprise a range of vapour permeable underlays, proprietary tapes and the like to provide a durable system for the prevention of wind and moisture ingress into the framing or openings.

**Product Purpose or Use**

The SIGA Building Protection System (SBPS)™ is intended for use over timber or light gauge steel framing incorporating a drained and ventilated cavity or, uses tapes to prevent the ingress of wind and moisture between windows and doors and specified substrates for residential and light commercial buildings.



**Certificate Holder**

**SIGA AG**  
Rüt mattstrasse 7  
6017 Ruswil  
Switzerland  
www.siga.swiss  
Ph: +64 21 667 501

**CodeMark Certification Body**

BEAL Certification Service Limited  
2A Plimmerton Drive  
Plimmerton, Porirua 5026, NZ  
Phone: +64 4 233 6661  
E-Mail: bcs@beal.co.nz  
Website: www.beal.co.nz

# CERTIFICATE OF CONFORMITY

This is to certify that

## The SIGA Building Protection System (SBPS)™

**Complies with the New Zealand Building Code:**

- Performance Clause B1.3.2
- Performance Clause B1.3.3 (e) & (h)
- Performance Clauses B2.3.1 (a) for tapes and underlays, (b) for tapes, and B2.3.2
- Performance Clauses E2.3.1, E2.3.2 and E2.3.6
- Performance Clause F2.3.1
- Contributes to performance Clause H1.3.1
- Compliance with other clauses have been considered and found not applicable.

**Subject to the following:**

Limitations of use -

- A. All designs and construction shall be within the requirements and the tables set out in the SIGA Manual NZ (including installation guidance) ver July 2018 available from this web site [www.beal.co.nz/codemarkcertificates](http://www.beal.co.nz/codemarkcertificates) and, all other uses are outside the scope of this certificate.
- B. Accessories and componentry shall comply with that specified in the SIGA Manual NZ and the SIGA Building Product Quality Plan ver 1.2.
- C. Installation shall be performed by SIGA trained and approved installers, who shall be supervised by a Licensed Building Practitioner;
- D. Installation and maintenance of the SIGA Building Protection System (SBPS)™ shall be in accordance with the SIGA Manual NZ and the SIGA Building Product Quality Plan ver 1.2 available on request;

Conditions of certification -

- E. The Building Product Quality Plan for the SIGA Building Protection System (SBPS)™ shall be reviewed and subject to audit at their head office and building sites by the issuer at least once a year;
- F. This CodeMark Certificate is subject to S15 of the Building (Product Certification) Regulations 2008.

**Assessment information:**

Test reports and assessment information that is the basis for certification is available from the issuer on request and may be subject to a fee.



[www.jas-anz.org/register](http://www.jas-anz.org/register)

**Note that this certificate may only be reproduced in its entirety.**

2 May 2018

BCS-158617-CMNZ rev1.1

**C R Prouse**  
Director  
BEAL Certification Service

**Date of Issue**

**Certificate Number**

This certificate is issued by an independent certification body accredited by the product certification accreditation body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment (MBIE) under the Building Act 2004. MBIE does not in any way warrant, guarantee, or represent that the building method or product the subject of this certificate conforms with the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product. MBIE disclaims, to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages, and costs arising as a result of the use of the building method(s) or product(s) referred to in this certificate.