



# CERTIFICATE OF CONFORMITY

This is to certify that

The Neoferma TotalSeal MS™



[www.jas-anz.org/register](http://www.jas-anz.org/register)

## Product description

The Neoferma TotalSeal MS™ is a bentonite based tanking and waterproofing product, supplied in sheet form. It is available as either LP (Low Pressure) or HP (High Pressure) forms, the latter having an additional HDPE back liner.

## Product Purpose or Use

The Neoferma TotalSeal MS™ product is used for the waterproofing of basement walls and concrete foundation slabs, below and above water tables.

## Certificate Holder

**Neoferma Australia Pty Ltd.**  
Unit 9, 4 Flagstone Drive  
Burleigh, QUEENSLAND  
Phone +61 (0)7 5576 4922  
[www.neoferma.com](http://www.neoferma.com)

Represented in New Zealand by:

**Neptune Pacific Ltd.**  
Unit B, 39 Arrenway Drive, Albany, Auckland.  
Phone 09 415 4469  
[www.neptunepacific.co.nz](http://www.neptunepacific.co.nz)

## CodeMark Certification Body

BEAL Certification Service Limited  
2A Plimmerton Drive  
Plimmerton, Porirua 5026, NZ  
Phone: +64 4 233 6661  
E-Mail: [bcs@beal.co.nz](mailto:bcs@beal.co.nz)  
Website: [www.beal.co.nz](http://www.beal.co.nz)

## Complies with the New Zealand Building Code:

Performance Clauses B2.3.1 (a)  
Performance Clause E2.3.2  
Performance Clause F2.3.1  
Compliance with other clauses have been considered and found not applicable.

## Subject to the following:

### Limitations of use -

- A. All designs and construction shall be within the requirements and the tables set out in the Neoferma Building Product Technical & Installation Manual BTIM DocV4 available from the manufacturer's web site [www.neoferma.com](http://www.neoferma.com) and, all other uses are outside the scope of this certificate.
- B. The product shall comply with that specified in the TotalSeal MS Building Product Technical & Installation Manual and the Building Product Quality Plan May 2018.
- C. Installation shall be performed by Neptune Pacific Ltd trained and approved installers, who shall be supervised by a Licensed Building Practitioner;
- D. Installation of the Neoferma TotalSeal MS™, shall be in accordance with the Building Product Quality Plan available on request;

### Conditions of certification -

- E. The Building Product Quality Plan shall be reviewed and subject to audit at their head office and building sites by the issuer at least once a year;
- F. The conditions relating to notification described in S15 of the Building (Product Certification) Regulations 2008.

### Assessment information:

Test reports and assessment information that is the basis for certification is available from the issuer on request and may be subject to a fee.

**Note that this certificate may only be reproduced in its entirety.**

25-6-2018

BCS-174218-CMNZ [Rev1.2]

**C R Prouse**  
Director  
BEAL Certification Service

Date of update

Certificate Number

This certificate is issued by an independent certification body accredited by the product certification accreditation body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment (MBIE) under the Building Act 2004. MBIE does not in any way warrant, guarantee, or represent that the building method or product the subject of this certificate conforms with the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product. MBIE disclaims, to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages, and costs arising as a result of the use of the building method(s) or product(s) referred to in this certificate.